

Maharashtra University of Health Sciences, Nashik
Inspection Committee Report for Academic Year 202-5-202-6

Clinical Material in Hospital

Name of College/Institute... HELEN ROSE COLLEGE OF NURSING
Faculty... NURSING...

HOSPITAL DETAILS

Sr. No.	Particulars to be verified	Particular	Adequate/ Inadequate
1	The Institute / College shall execute a MoU with any institute for affiliation of hospital in addition to minimum 100 bedded own/parent Hospital (Affiliated hospital must be 50 bedded or more.) To be made available on web site	<i>Adequate</i>	
a.	Whether Hospital is registered under any act under Local Authority such as Corporation, Municipality, Gram Panchayat etc.: Copy to be made available on web site	<i>YES</i>	<i>Adequate</i>
b.	Student Bed Ratio for UG & PG to be verified: (As per MSR) Calculate at Actual	<i>1:3</i>	<i>Adequate</i>
c.	Average Bed Occupancy in % : (Minimum 75%) <i>78.1</i>	<i>YES</i>	<i>Adequate</i>
d.	Clinical facilities for PG to be verified:-(As per MSR)	<i>- NA -</i>	<i>- NA -</i>
	(i) Whether OPD is functioning to be verified (ii) Total No of OPD (on the day of inspection) (iii) Average Number of patients attending OPD (current year) (iv) Average Number of Delivery (Current year) (v) Average Number of abnormal Delivery (Current year)		<i>Adequate</i>
<ul style="list-style-type: none"> As per Central Council Norms/ University Norms, above Infrastructure must be available at College. If Infrastructure is available, then mark "Adequate" & do not attach any Documents it should be available on college website In case of "Inadequate", it must be marked as "Inadequate" with evidence. To be submit to university with report 			

Here we declare all relevant document uploaded are clear and visible on web site & are true as per my knowledge & Belief
Any Other, Please Specify:-

Date:- *06/02/25*

Chairman of LIC

Member Of LIC



J. Shilpa
Principal
Dean/ Principal Stamp & Signature
Helen Rose College
of Nursing, UMRI
Maharashtra
Member Of LIC

१७ १७




महाराष्ट्र MAHARASHTRA

© 2023 ©

97AA 614073

हलरोज नर्सिंग
११५४५ दिनांक २२/१०/२४ ऑफिस कॉलेज
उमरी
लॉक्रे उलम
रहमत

OFFICE OF THE
Sub. Treasurer Officer Kelapur
15 OCT 2024
SUB TREASURY OFFICER
KELAPUR



MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 10/11/2024

Between

Swasthyam Super speciality Hospital Nagpur which is represented by its Director here in named as First Party

and


Helen rose College of Nursing Umri, Yavatmal 445302 represented by his Administrator here in named as second party.
Shilpa K. W. Deepu Abraham FLO Umri Rd. T. Kelapur
Dist. - Yavatmal.



J. Shikha
Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302

The both parties agrees as follow:

1. First party declares that Swasthyam Super speciality hospital Nagpur is a 100 bedded super speciality hospital.
2. First party agrees to provide clinical experience for General Nursing and Midwifery And Basic Bsc Nursing students as in syllabus.
3. The officials representing Swasthyam Super speciality, Nagpur and Helen rose college of Nursing ,Umri Yavatmal are signing MOU to achieve Beneficial objectives of Nursing courses.



Signature
DIRECTOR

Signature
ADMINISTRATOR



SWASTHYAM SUPER SPECIALITY HOSPITAL HELEN ROSE COLLEGE OF NURSING
NAGPUR UMRI, YAVATMAL

NOTARY
Advocate
Nilesh M. Shukla
Ghatangi
Reg. No. 15917
Area Yavatmal District
Exp. Dt. 01/07/2024
GOVT. OF INDIA

One side Notary
party No. is appeared before me
N.R.S 2697/2024
Solemnly affirmed before me by
Shri. Shilpate wo Deepu Abraham
who is personally known to me has
been identified by Shri. Self
personally known
Dt. 28/11/24

Ro Umari (Road)
Ta. Kelapur
Dist. Yavatmal

Nilesh M. Shukla
Advocate & Notary
At Po. Ghatangi Dist. Yavatmal
Govt. of India Reg. No. 15917
02



NAGPUR MUNICIPAL CORPORATION, NAGPUR

(HEALTH DEPARTMENT)



FORM-C

Certificate of Registration under Section 5 of Bombay Nursing Home
Registration Act. 1949 (rule 5)

Nursing Home Registration Certificate

This is to certify that Shri/Smt. Dr. Pankaj V. Harkut (MBBS.DNB.DM), has been registered under the Bombay Nursing Home Registration Act 1949 in respect of SwasthY.am S.v peciality.112spital (A Unit of Adsum Hospital Pvt. Ltd.), situated at Plot No. 97-CTO Cooprvative Housing Sociocy, Vivekanand Nagar, Near Sai Mandir, Wardha Road, Nagnur and has been authorized to carry on the said nursing home.

Registration No. : 1027

Date of Registration: 01/01/2021


Place : Nagpur

Date of issue of certificate :01/04/2023

Maternity 5

Other Nursing 95

This certificate of registration shall be valid up to 31 Mar 2026.



Signature

Registering Authority
Medical Officer Health

J. Shalga
Principal

Helen Rose College of Nursing, UMRI
Maharashtra - 445302
Nagpur Municipal Corporation

This Certificate of Registration should be displayed at prominent place.
Application for renewal should be done in advance in the month of January.

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010437/24020781
Fax: 24024068/24023515
Website: <http://mpcb.gov.in>
Email: ps@mpcb.gov.in



Kalpataru Point, 2nd, 3rd
and 4th floor, Opp. Cine
Planet Cinema, Near Sion
Circle, Sion (E),
Mumbai-400022

RED/L.S.I

No:- Format1.0/PSO/UAN No.MPCB-
CONSENT-0000188377/CO/2404001550

Date:
22/04/2024

To,
Swasthyam Superspeciality Hospital (A unit of Adsum
Hospital Pvt. Ltd.)
Plot No. 97, 98, CTO Staff Co-Operative Housing
Society,
Vivekanand Nagar, Near Sai Mandir, Wardha Road,
Nagpur-440 015
Email: info@swasthyamhospital.com
Contact No.: 8087036892




Your Service is Our Duty

Combined Consent to Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

- Ref:
1. Your application for Combine Consent and Bio-Medical Waste Authorization dated 22.11.2023
 2. This office email dated 15.3.2024, 26.3.2024, 02.04.2024 and 08.4.2024
 3. SCN issued vide letter dated 15.3.2024
 4. SRO Nagpur-2 site visit dated 10.4.2024

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Consent to Operate (Renewal) Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-II)** enclosed in this order.

1. This CCA shall be in force for a period From **31-12-2023** To **31-12-2025**
2. The capital investment of the HCF is **₹3068.209** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 557.44 M² with Built-up area 977.28 M².
4. **Activities Included**
 - a. Total Number of Beds : **100 Nos.** (As per BNH certificate no. 1027 valid upto 31-03-2026)
 - I. General Beds : **55 Nos**
 - II. ICCU/ICU Beds : **20 Nos**
 - III. Operation Theatre : **10 Nos**
 - IV. Maternity Beds : **5 Nos**
 - V. Other Beds : **10 Nos**



J. Shalsha
Principal

Helen Rose College
of Nursing, UMR
Maharashtra - 445302

5. Conditions under the Water (P&CP) Act, 1974:-

1. Quantity of total water consumption shall not exceed 30 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW Category no.	Quantity	UOM	Disposal
1	35.3 Chemical sludge from waste water treatment	35.3	As per Actual	MT/M	CHWTSDF


8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-

1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
2. You shall segregate and handover BMW to BMW T&D CTF **Superb Hygienic Disposals, Nagpur** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with a copy to CPCB before 30th June of every year.
4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).


10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.



11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
14. You shall maintain records of MPC board Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.50 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Nagpur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice
18. You shall submit the compliance of the Bank Guarantee conditions every six months to the Regional Officer, MPCB, Nagpur for verification.



[Handwritten Signature]




Signed by: Dr. Vishwajeet Ramesh Thakur
Principal Scientific Officer
For and on behalf of,
Maharashtra Pollution Control Board
pso@mpcb.gov.in
2024-04-22 18:00:14 IST

Received Consent/Authorization fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	150000.00	MPCB-DR-22978	06/12/2023	NEFT

Copy to:

1. Regional Officer, MPCB, Nagpur and Sub-Regional Officer, MPCB, Nagpur I
- RO Nagpur is directed to ensure that the compliances are met as per the consent conditions.
SRO Nagpur II - shall verify the compliance conditions along with the JVS analysis results and take action accordingly.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.



[Handwritten Signature]
Principal
Helen Rose College
of Nursing, UMR I
Maharashtra - 445302

Conditions under Water (P & CP), 1974 Act: (Refer Condition No. 5)

A. Water Consumption Details:-

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	25.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Other such as agriculture, gardening, etc.	0.00

B. Conditions for Sewage & Effluent Generation, Treatment and Disposal:-

Sr. No.	Description	Permitted quantity of discharge (CMD)	Standards to be achieved	Disposal
1	Domestic Sewage	25	As per clause 'C'	Municipal Sewer
2	Trade effluent	4	As per clause 'C'	Municipal Sewer

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

Sr. No.	Parameters	Discharge Standards applicable
		Limiting Concentration in mg/except for pH
1	pH	6.5-9.0
2	Oil & Grease	10
3	BOD (3 days 27°C)	30
4	COD	250
5	Total Suspended Solids	100
6	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent

D. You shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.

F. The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of any treatment and disposal system or an extension or addition thereto.

G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.



J. Shaha
Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	DG Set (320 KVA)	Diesel	12.00 Ltr/Hr	1.20

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
4. Conditions for D.G. Set:-
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.




J. Shaha
Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302

SCHEDULE-I**Authorization for Management of Bio-Medical Waste (Category and Quantity)**


The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	132.00	Yellow coloured non- chlorinated plastic bags.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Animal Anatomical Waste	0.00		
		c) Soiled Waste	262.50		
		d) Expired or Discarded Medicines	37.50		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	56.25	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	18.75	Autoclave safe plastic bags or containers.	
2	Red	Contaminated waste (Recyclable)	318.75	Red coloured non chlorinated plastic bags or containers.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
3	White (Translucent)	Waste sharps including Metals	60.00	Puncture proof, Leak proof, tamper proof container.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
4	Blue	a) Glassware	15.00	Puncture proof, Leak proof with Blue coloured marking.	Bio medical Waste shall be sent to MPCB authorized BMW-CTF Superb Hygienic Disposals, Nagpur Nagpur
		b) Metallic body implants	11.25		



Responsibilities of CBWTF

1. You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility **Superb Hygienic Disposals, Nagpur** and maintain records thereof for 5 years.
2. You shall establish bar code for handling of bio-medical waste.
3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
4. You shall not store Bio Medical waste beyond 48 hours from the generation.
5. You shall use only non-chlorinated plastic coloured bags.
6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
7. You shall not mix General/other Solid waste with Bio Medical Waste.
8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
9. You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
17. The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of bio-medical wastes.
18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Nagpur and uploading the same to MPCB Portal (<https://www.ecmpcb.in/>).




J. Shaha
Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445002

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Schedule I	Continuous	50,000.00
2	Towards Operation and Maintenance of STP/ETP to achieve prescribed discharge standards	Continuous	50,000.00
1B	Records		
1	To Maintain records of BMW and submission of Annual Report for preceding calender year in Form -II before 30th June every year	Continuous	25,000.00
2	To maintain records of BMW handed over to CBMWTF	Continuous	25,000.00
Total			1,50,000.00

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.



Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302



General Conditions


The following general conditions shall apply:-

1. You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
5. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Nagpur.
6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
9. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.
14. You shall submit an official e-mail address and any change will be duly informed to the MPCB.



15. You shall observe provisions of E-waste (Management) Rules 2016 & as amended time to time and Batteries (Management and Handling) Amendment Rules, 2010.
16. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
17. In case you use/ handle/ generate the cytotoxic waste you shall strictly adhere to the standards/ SOPs applicable and waste shall be labelled specifically as "Cytotoxic Waste" with symbol on waste containers/ bags and shall handover to BMW CTFs.
18. You shall obtain required permissions from competent authority for radio active material user/ handling/ disposal of waste before commencement of such activity.
19. The Energy source for lighting purpose shall preferably be LED based.
20. You shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
21. You shall provide personal protection equipment as per norms of Factory Act 1948
22. You are responsible to submit application for renewal of Combined Consent & Biomedical Waste authorization before 60 days of expiry.

This certificate is digitally & electronically signed.



J. Shaha
Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302



महाराष्ट्र MAHARASHTRA
क्र. ८३ (प्र. का. ना. २०२३००५)
मुंबई, दि. १३ जुलै २०२४
विकास विभाग, व. व. कार्यालयी दहाधिकारी कलकत्ता
सहायक / व. व. कार्यालयी
सोपान (अनुसंधान) साधक
सहायक / व. व. कार्यालयी
सहायक / व. व. कार्यालयी
सहायक / व. व. कार्यालयी

Sub: 84-AA-421521 (P)
23 APR 2024
SUB TREASURY OFFICER
KOLKATA

MEMORANDUM OF UNDERSTANDING

This memorandum of understanding is made on 13th July 2024.

Between

Manas clinic and Baba De- addiction Center Hospital which is represent by its Director herein named as First Party.

And

Helen Rose College of Nursing, Umri, dist, Yavatmal 445302 represented by Principal herein named Second Party

The both parties agree as follow:



J. Shaha
Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302


1. First party declares that Manas Clinic and Baba De-addiction center is a 50 bedded super specialty psychiatric hospital.
2. First party agree to provide clinical experience for General Nursing and midwifery And B.sc nursing student as in syllabus
3. The official representing Manas Clinic and Baba De-addiction center & Helen Rose College Of Nursing, Umri, Yavatmal are signing this MOU to achieve beneficial objectives of Nursing Courses.



Signature


Shrikant Deshmukh
Manas Clinic and Baba De-addiction
Reg. No. 36101
PSYCHIATRIST
Center, Amravati
Joglekar Plot, Ch. P. Nagar, Amravati
AMRAVATI (M.S.) 444 606

Signature



Helen Rose College of Nursing
Principal
Umri Tq. Khatav, Dist. Yavatmal
Helen Rose College
Of Nursing, UMRI
Maharashtra - 445302

AMRAVATI MUNICIPAL CORPORATION



FORM 'C'
(S. 5 Rule 5)

**CERTIFICATE OF REGISTRATION UNDER
SECTION 5 OF THE BOMBAY NURSING HOME
REGISTRATION ACT, 1949**

No. AMC/PHD/FW/NH/ 288/2023

This is to certify that Shri/Smt. Dr. Shikhande Babasaheb Deshpande
has been registered under the Bombay Nursing Homes Registration Act, 1949
in respect of MANAS Clinic

situated at Joglekar Plot, Congress Nagar, Amravati
and has been authorised to carry on the said nursing home

Registration No. 288

Bed : 015 Maternity : 0 Nil other Nursing Patients : 015

Date of registration / Renewal : 4-10-2023

Place Joglekar Plot Amravati

Date of Issue of Certificate : 17-11-2023

This Certificate of registration shall be valid upto 31 March 2024

Municipal Corporation, Amravati



Signature of the Registrar

Medical Officer of Health

Municipal Corporation, Amravati

मुलातः अतिशय महत्त्वाचे असलेल्या ह्या प्रमाणपत्राचा उपयोग केवळ नर्सिंग होमसाठीच होऊ शकतो. या प्रमाणपत्राचा इतर कोणत्याही उद्देशाने वापर होऊ नये. अशाच No. ९ मुलातः नियमावलीचा अर्थ असावा.



J. Shekha
Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 0721-2563593
Fax: 0721-2563597
Website: <http://mpcb.gov.in>
Email:
sroamravati1@mpcb.gov.in



Sahkar Surbhi Bapatwadi
Near Vivekanand Colony,
Amravati- 444606

ORANGE/

Date: 03/08/2023

No:- Format1.0/SRO/UAN No.0000171891/CO/2308000270

To,
M/s. Manas Hospital
Congress Nagar Road,
Joglekar Plot, Amravati,
Ta. & Dist. Amravati-444606
Email:drshrikant.deshmukh@gmail.com
Contact No.:9823046036




Combined Consent to 1st Operate and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: Your application for Combine Consent and Bio-Medical Waste Authorization V no.no.MPCB-CONSENT-0000171891 dated 19/06/2023.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant to operate Combined Consent and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the **Schedule(I-IV) and Annexure (I-IV)** enclosed in this order.

1. This CCA shall be in force for a period From **25-05-2023 To 30-06-2024**
2. The capital investment of the HCF is **₹328.28** Lakhs (As per C.A Certificate Submitted by HCF)
3. HCF Area: - Plot Area 6758.00 M² with Built-up area 3000.00 M².
4. **Activities Included**
 - a. Total Number of Beds : **12 Nos.** (As per BNH certificate no. 12 valid upto 31-03-2020)
 - I. General Beds : **6 Nos**
 - II. Other Beds : **6 Nos**
5. **Conditions under the Water (P&CP) Act, 1974:-**
 1. Quantity of total water consumption shall not exceed 2 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in **Annexure-I**
 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.
6. **Conditions under the Air (P&CP) Act,1981:-**



J. Shaha
Principal
Helen Rose College
of Nursing, UMR
Maharashtra - 445302

1. You shall use the fuel for DG set as specified in the **Annexure-II**.
2. You shall provide adequate emission control system to DG set as specified in **Annexure-II**.
3. You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per **Annexure-II**.

7. Conditions under Hazardous and Other Wastes(Management, Handling & Transboundary Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.

Sr No	Type of Waste	HW category no.	Quantity	UOM	Disposal
		NA			

8. Conditions under Solid Waste Management rules 2016

1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
2. You shall Not mix general solid waste with Bio Medical Waste.

9. Conditions under BMW Management rules, 2016 (As Amended):-


1. You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 2. You shall segregate and handover BMW to BMW T&D CTF **Global Eco Safe Systems, Amaravati** Strictly complying with the Provisions of Schedule-I and Maintain record of the same.
 3. **Cytotoxic Drugs/ Waste:** You shall have separate storage, marked with the symbol of Bio Hazard & Cytotoxic Hazard for outdated, discarded, unused cytotoxic drugs/waste and submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs in the format prescribed by CPCB which is available on www.cpcb.nic.in along with Annual Report to MPCB with copy to CPCB before 30th June of every year.
 4. **Mercury Waste:** You shall manage the Mercury Waste in HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities" (www.cpcb.nic.in).
10. You shall not undertake Modifications/ Upgradation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
 14. You shall maintain records of MPC board Officers visit and shall obey all the instructions issued by the Board Officers from time to time.



J. Shabha
Principal

Helen Rose College
of Nursing, UMRI
Maharashtra - 445302

15. Any violation of provisions of BMW Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
17. You shall submit the bank guarantee of INR 1.15 lakhs towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Amravati within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice



P. Patil

9ada3dc4
a535d509
f074b77d
2f14ebbb
7c29086f
a093816f
fc12afa5
1a5a05a7

Signed by: Dhanashree G. Patil
Sub Regional Officer
For and on behalf of,
Maharashtra Pollution Control Board
sroamravati@mpcb.gov.in
2023-08-03 16:56:34 IST

Received Consent/Authorization fee of -

Sr. No.	Amount (RS.)	Transaction/DR. No.	Date	Transaction Type
1	16250.00	TXN2302003549	22/02/2023	Online Payment
2	44590.00	TXN2307000921	07/07/2023	Online Payment

Copy to:

1. Regional Officer, MPCB, Amravati for information.
- - They are directed to ensure the compliance of the consent conditions.
- SRO They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai
3. I/C EIC- for record & website updating purpose.

J. Shaha

Principal
Helen Rose College
of Nursing, UMRI
Maharashtra - 445302

